

Applying Dataflow and Transactions to Lee Routing


Chris Seaton, Daniel Goodman,
Mikel Luján, and Ian Watson


University of Manchester

EuroTM WTM

Bern


10 April 2012








5	4	3	4	5	6				
4	3	2	3	4	5	6			
3	2	1	2	3	4	5	6		
2	1	S	1	2	3	4	5	6	
3	2	1	2	3	4	5	6		
4	3	2	3	4	5	6			
5	4	3	4	5	6	E			
6	5	4	5	6					
	6	5	6						
		6							


9	8	9								
8	7	8	9	E						
7	6	7	8	9						
6	5							9		
5	4	3	2	1	2			8	9	
4	3	2	1	S	1			7	8	9
5	4	3	2	1	2			6	7	8
6	5	4	3	2	3	4	5	6	7	
7	6	5	4	3	4	5	6	7	8	
8	7	6	5	4	5	6	7	8	9	














Questions?

Chris Seaton is an EPSRC funded student. Mikel Luján is a Royal Society University Research Fellow. The Teraflux project is funded by the European Commission Seventh Framework Programme.

TERAFLUX

 **cost**
EUROPEAN COOPERATION
IN SCIENCE AND TECHNOLOGY

EPSRC
Engineering and Physical Sciences
Research Council